

Product sheet



Art.Nr. **LDL722**



1m	718.5,1146lx	83.68cm
2m	179.6,286.4lx	167.36cm
3m	79.83,127.3lx	251.04cm
4m	44.90,71.60lx	334.71cm
5m	28.74,45.82lx	418.39cm
6m	19.96,31.82lx	502.07cm
7m	14.66,23.38lx	585.75cm
8m	11.23,17.90lx	669.43cm
9m	8.870,14.14lx	753.11cm
10m	7.185,11.46lx	836.78cm

- 11,5W
- AC 85-265V
- Φuse 840Lm (90°)
- Dimension Ø110 x 50mm
- Mounting hole Ø90mm
- Weight netto – 193g
- 4000K – neutral white
- IP20
- 55°
- 30000h
- Recommended ambient temperature -5° to +40°C
- Warranty 3 years
- Aluminium-white
- Non-dimmable
- Packing 1/50

<https://nedes.eu/led-light-11-5w-4000k/cob/wh-ldl722/p-946>

www.nedes.eu



Art.Nr. **LDL722**



1m	718.5,11461x	83.68cm
2m	179.6,286.41x	167.36cm
3m	79.83,127.31x	251.04cm
4m	44.90,71.601x	334.71cm
5m	28.74,45.821x	418.39cm
6m	19.96,31.821x	502.07cm
7m	14.66,23.381x	585.75cm
8m	11.23,17.901x	669.43cm
9m	8.870,14.141x	753.11cm
10m	7.185,11.461x	836.78cm

- 11,5W
- AC 85-265V
- Φuse 840Lm (90°)
- Rozmer Ø110x50mm
- Výrez Ø90mm
- Hmotnosť netto – 193g
- 4000K – neutrálna biela
- IP20
- 55°
- 30000h
- Doporučená teplota okolia -5° až +40°C
- Záruka 3 roky
- Hliník-biela
- Nestmievateľné
- Balenie 1/50

<https://nedes.sk/led-svietidlo-11-5w-4000k/cob/wh-ldl722/p946>

www.nedes.sk



Art.Nr. **LDL722**



1m	718.5,1146lx	83.68cm
2m	179.6,286.4lx	167.36cm
3m	79.83,127.3lx	251.04cm
4m	44.90,71.60lx	334.71cm
5m	28.74,45.82lx	418.39cm
6m	19.96,31.82lx	502.07cm
7m	14.66,23.38lx	585.75cm
8m	11.23,17.90lx	669.43cm
9m	8.870,14.14lx	753.11cm
10m	7.185,11.46lx	836.78cm

- 11,5W
- AC 85-265V
- Φ use 840Lm (90°)
- Rozměr \varnothing 110 x 50mm
- Výřez \varnothing 90mm
- Hmotnost netto – 193g
- 4000K – neutrální bílá
- IP20
- 55°
- 30000h
- Doporučená teplota okolí -5° až +40°C
- Záruka 3 roky
- Hliník-bílá
- Nestmívatelné
- Balení 1/50

<https://nedes.cz/led-svitidlo-11-5w-4000k/cob/wh-ldl722/p-946>



Art.Nr. **LDL722**



1m	718.5,1146lx	83.68cm
2m	179.6,286.4lx	167.36cm
3m	79.83,127.3lx	251.04cm
4m	44.90,71.60lx	334.71cm
5m	28.74,45.82lx	418.39cm
6m	19.96,31.82lx	502.07cm
7m	14.66,23.38lx	585.75cm
8m	11.23,17.90lx	669.43cm
9m	8.870,14.14lx	753.11cm
10m	7.185,11.46lx	836.78cm

- 11,5W
- AC 85-265V
- Φ use 840Lm (90°)
- Méret \varnothing 110 x 50mm
- Rögzítő nyílás \varnothing 90mm
- Nettó tömeg – 193g
- 4000K – természetes fehér
- IP20
- 55°
- 30000h
- Ajánlott környezeti hőmérséklet -5° és +40°C
- 3 év garancia
- Alumínium-fehér
- Dimmelhető – nem
- Csomagolás 1/50

<https://nedes.hu/led-feny-11-5w-4000k/cob/wh-ldl722/p-946>

www.nedes.hu



Art.Nr. **LDL722**



1m	718.5,1146lx	83.68cm
2m	179.6,286.4lx	167.36cm
3m	79.83,127.3lx	251.04cm
4m	44.90,71.60lx	334.71cm
5m	28.74,45.82lx	418.39cm
6m	19.96,31.82lx	502.07cm
7m	14.66,23.38lx	585.75cm
8m	11.23,17.90lx	669.43cm
9m	8.870,14.14lx	753.11cm
10m	7.185,11.46lx	836.78cm

- 11,5W
- AC 85-265V
- Φ use 840lm (90°)
- Dimension \varnothing 110 x 50mm
- Montageloch \varnothing 90mm
- Nettogewicht – 193g
- 4000K – Neutralweiß
- IP20
- 55°
- 30000St
- Empfohlene Umgebungstemperatur -5° bis +40°C
- Garanzzeit 3 Jahre
- Aluminium-Weiß
- Nicht dimmbar
- Verpackung 1/50

<https://nedes.at/led-leuchte-11-5w-4000k/cob/wh-ldl722/p-946>

www.nedes.at