




## Product sheet

Art.Nr. **LU221/1**



1m	3654,76081lx	191,36cm
2m	913,619021lx	382,72cm
3m	406,1845,31lx	574,09cm
4m	228,4,475,51lx	765,45cm
5m	146,2,304,31lx	956,81cm
6m	101,5,211,31lx	1148,17cm
7m	74,58,155,31lx	1339,53cm
8m	57,10,118,91lx	1530,90cm
9m	45,12,93,92lx	1722,26cm
10m	36,54,76,08lx	1913,62cm





- 100W
- AC100 - 277V
- IP65
- IK08
- PF > 0,96
- 15000Lm
- Dimension Ø280 x 130 mm
- Weight netto – 2060g
- 5000K – neutral white
- D
- 90°
- 50000h
- Warranty 5 years (ZH DRIVER, HONGLI LED)
- Recommended ambient temperature -30° to +55°C
- Metal-black
- Dimmable 1-10V
- Packing 1/4

<https://nedes.eu/led-light-ufo-100w/ip65/5000k/1-10v-lu221/1/p-368>

[www.nedes.eu](http://www.nedes.eu)



Art.Nr. **LU221/1**



- 100W
- AC100 - 277V
- IP65
- IK08
- PF > 0,96
- 15000Lm
- Rozmer Ø280 x 130 mm
- Hmotnosť netto – 2060g
- 5000K – neutrálna biela
- D
- 90°
- 50000h
- Záruka 5 rokov (ZH DRIVER, HONGLI LED)
- Doporučená teplota okolia -30° až +55°C
- Metal-čierna
- Stmievateľné 1-10V
- Balenie 1/4




## Produktový list

Art.Nr. **LU221/1**



1m	3654,76081x	191,36cm
2m	913,6,19021x	382,72cm
3m	406,1,845,31x	574,09cm
4m	228,4,475,51x	765,45cm
5m	146,2,304,31x	956,81cm
6m	101,5,211,31x	1148,17cm
7m	74,58,155,31x	1339,53cm
8m	57,10,118,91x	1530,90cm
9m	45,12,93,921x	1722,26cm
10m	36,54,76,081x	1913,62cm





- 100W
- AC100 - 277V
- IP65
- IK08
- PF > 0,96
- 15000Lm
- Rozměr Ø280 x 130 mm
- Hmotnost netto – 2060g
- 5000K – neutrální bílá
- D
- 90°
- 50000h
- Záruka 5 let (ZH DRIVER, HONGLI LED)
- Doporučená teplota okolí -30° až +55°C
- Metal-černá
- Stmívatelné 1-10V
- Balení 1/4

<https://nedes.cz/led-svitidlo-ufo-100w/ip65/5000k/1-10v-lu221/1/p-368>



## Termék adatlap

Art.Nr. **LU221/1**




- 100W
- AC100 - 277V
- IP65
- IK08
- PF > 0,96
- 15000Lm
- Méret Ø280 x 130 mm
- 5000K - természetes fehér
- D
- 90°
- 50000h
- 5 év garancia (ZH DRIVER, HONGLI LED)
- Ajánlott környezeti hőmérséklet 30° až +55°C
- Metal-fekete
- Dimmelhető 1-10V
- Nettó tömeg - 2060g
- Csomagolás 1/4

<https://nedes.hu/led-csarnokvilagitas-ufo-100w/ip65/5000k/1-10v-lu221/1/p-368>



Art.Nr. **LU221/1**



- 100W
- AC100 - 277V
- IP65
- IK08
- PF > 0,96
- 15000Lm
- Dimension  $\varnothing 280 \times 130$  mm
- 5000K - Neutralweiß
- D
- 90°
- 50000h
- Garantiezeit 5 Jahre (ZH DRIVER, HONGLI LED)
- Empfohlene Umgebungstemperatur -30° bis +55°C
- Metall-Schwarz
- Dimmbar 1-10V
- Nettogewicht - 2060g
- Verpackung 1/4

<https://nedes.at/led-lampe-ufo-100w/ip65/5000k/1-10v-lu221/1/p-368>